



"Brave The Elements"®

VW49T Miner49ER Tall Mining Boot



USA SIZES

6 7 8 9 10 11 12 13 14

Product Highlight

Key Features	<ul style="list-style-type: none">• Heavy duty cotton canvas lining for comfort and NBR rubber boot for superior chemical resistance• Ultra flexible: Exceeds 150,000 flex rating• Steel shank increases stability and air cushioned sole pockets provides comfort• Oil, chemical & slip resistant nitrile lug sole
Technology	None
Safety standards	<ul style="list-style-type: none">• CSA Z195-09 / ASTM F2413-11- CSA Class #1 Steel Toe and Plate- CSA Omega - Electric Shock Resistant 18kV- Mt/75 Metatarsal Protection• European Standard CE Approved- EN ISO 20345:2011- (SB M P E HRO FO SRA)• Australia New Zealand Standard Approved- S/NZS 2210.3:2009- (SB M P E HRO SRA)
Ideal	<ul style="list-style-type: none">• Open pit mining• Underground mining• Excavation sites• Construction sites• Forestry• Masonry• Demolition

PRODUCT DESCRIPTION

- * CSA Mt/75 Metatarsal Protection
- * CSA Z195-09/ASTM F2413-11 Class #1 Steel toe and plate
- * CSA Omega Electric shock resistant 18kV
- * European Standard CE Approved - EN ISO 20345:2011
- * Australia New Zealand Standard Approved - AS/NZS 2210.3.2009
- * NBR rubber root with cotton canvas lining
- * Nitrile oil, chemical & slip resistant lug sole
- * Achilles tendon & ankle protection
- * Ultra flexible: Exceeds 150, 000 flex rating